

Shotley Bridge Primary School

Allergy and Anaphylaxis Policy



September 2026

Approved by:	Governing Board	Date: September 2026
Last reviewed on:	September 2026	
Next review due by:	September 2027	

Author/s	Darren Hobson
Review Frequency	Yearly
Date approved by governors	September 2026
Date of next review	September 2027
Purpose	To minimise the risk of any pupil suffering a serious allergic reaction whilst at school or attending any school related activity. To ensure staff are properly prepared to recognise and manage serious allergic reactions should they arise.
Links with other policies	

The named staff members (at least 2) responsible for coordinating staff anaphylaxis training and the upkeep of the school's anaphylaxis policy are:

Natalie Dryden (SENCO)

Claire Coombe and Judith Parker (Office Managers)

Deborah Lee (Named First Aider)

Contents

1. Introduction
2. Roles and responsibilities
3. Allergy action plans
4. Emergency treatment and management of anaphylaxis
5. Supply, storage and care of medication
6. 'Spare' adrenaline auto-injectors in school
7. Staff training
8. Inclusion and safeguarding
9. Catering
10. School trips
11. Allergy awareness and nut bans
12. Risk assessment
13. Useful links

1. Introduction

An allergy is a reaction of the body's immune system to substances that are usually harmless. The reaction can cause minor symptoms such as itching, sneezing or rashes but sometimes causes a much more severe reaction called anaphylaxis.

Anaphylaxis is a serious, life-threatening allergic reaction. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes can include foods, insect stings, and drugs.

Most healthcare professionals consider an allergic reaction to be anaphylaxis when it involves difficulty breathing or affects the heart rhythm or blood pressure. Anaphylaxis symptoms are often referred to as the ABC symptoms (Airway, Breathing, Circulation).

It is possible to be allergic to anything which contains a protein, however most people will react to a fairly small group of potent allergens.

Common UK Allergens include (but are not limited to):-

Peanuts, Tree Nuts, Sesame, Milk, Egg, Fish, Latex, Insect venom, Pollen and Animal Dander.

This policy sets out how Shotley Bridge Primary School will support pupils with allergies, to ensure they are safe and are not disadvantaged in any way whilst taking part in school life.

2. Role and responsibilities

Parent Responsibilities

- On entry to the school, it is the parent's responsibility to inform EY Staff and SENCO of any allergies. This information should include all previous serious allergic reactions, history of anaphylaxis and details of all prescribed medication.
- Parents are to supply a copy of their child's Allergy Action Plan ([BSACI plans](#) preferred) to school. If they do not currently have an Allergy Action Plan this should be developed as soon as possible in collaboration with a healthcare professional e.g. School nurse/GP/allergy specialist.
- Parents are responsible for ensuring any required medication is supplied, in date and replaced as necessary.
- Parents are requested to keep the school up to date with any changes in allergy management. The Allergy Action Plan will be kept updated accordingly.

Staff Responsibilities

- All staff will complete anaphylaxis training. Training is provided for all staff on a yearly basis and on an ad-hoc basis for any new members of staff.
- Staff (regular or cover classes) must be aware of the pupils in their care who have known allergies as an allergic reaction could occur at any time and not just at mealtimes. Any food-related activities must be supervised with due caution.

- Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.
- Where staff are transporting children between the school sites eg Stay and Play sessions, emergency adrenaline auto-injectors (AAI) will be carried in a first aid bag.
- Where staff are transporting children between the school sites, a walkie talkie should be carried at all times in case of an emergency.
- The Office managers and named First Aider will ensure that the up-to-date Allergy Action Plan is kept with the pupil's medication.
- It is the parent's responsibility to ensure all medication is in date however the Office managers and named First Aider will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.
- Office managers and named First Aider keeps a register of pupils who have been prescribed an adrenaline auto-injector (AAI) and a record of use of any AAI(s) and emergency treatment given.
- Deputy Headteachers and named First Aider ensures that any reaction or near misses are recorded and reported internally or in accordance with RIDDOR.

Pupil Responsibilities

- Pupils are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction.
- Pupils who are trained and confident to administer their own AAI's will be encouraged to take responsibility for carrying them on their person at all times.

3. Allergy Action Plans

Allergy action plans / individual healthcare plans for children with food allergies provide medical and parental consent for schools to administer medicines in the event of an allergic reaction, including consent to administer a spare adrenaline auto- injector.

British Society of Allergy and Clinical Immunology (BSACI) Allergy Action Plans are produced by a medical professional and should not be created by school. These are a national plan that has been agreed by the BSACI, Anaphylaxis UK and Allergy UK. The allergy action plans are designed to function as an individual healthcare plan.

4. Emergency Treatment and Management of Anaphylaxis

What to look for:

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- a red raised rash (known as hives or urticaria) anywhere on the body
- a tingling or itchy feeling in the mouth
- swelling of lips, face or eyes
- stomach pain or vomiting.

More serious symptoms are often referred to as the ABC symptoms and can include:

- **AIRWAY** - swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing).
- **BREATHING** - sudden onset wheezing, breathing difficulty, noisy breathing.
- **CIRCULATION** - dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness.

The term for this more severe reaction is anaphylaxis. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

If the pupil has been exposed to something they are known to be allergic to, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly. **Adrenaline** is the mainstay of treatment, and it starts to work within seconds.

What does adrenaline do?

- It opens up the airways
- It stops swelling
- It raises the blood pressure

As soon as anaphylaxis is suspected, adrenaline must be administered without delay.

Action:

- Keep the child where they are, call for help and do not leave them unattended.
- **LIE CHILD FLAT WITH LEGS RAISED** – they can be propped up if struggling to breathe but this should be for as short a time as possible.
- **USE ADRENALINE AUTO-INJECTOR WITHOUT DELAY** and note the time given. AAls should be given into the muscle in the outer thigh. Specific instructions vary by brand – always follow the instructions on the device.
- **CALL 999** and state **ANAPHYLAXIS (ana-fil-axis)**.
- If no improvement after 5 minutes, administer second AAl.
- If no signs of life commence CPR.
- Call parent/carer as soon as possible.

Whilst you are waiting for the ambulance, keep the child where they are. Do not stand them up, or sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can reoccur after treatment.

5. Supply, storage and care of medication

Anaphylaxis kits are kept in the child's orange zip bag and one is also situated in the child's classroom. The emergency kits are located next to first aid boxes on both sites and accessible to all staff.

Medication is stored in a suitable container and clearly labelled with the pupil's name. The pupil's medication storage container contains:

- One AAI i.e. EpiPen® or Jext®
- An up-to-date allergy action plan
- Antihistamine as tablets or syrup (if included on allergy action plan)
- Spoon if required
- Asthma inhaler (if included on allergy action plan).
- A second AAI is stored in the child's classroom

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the Office managers and named First Aider will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.

Parents can subscribe to expiry alerts for the relevant AAI's their child is prescribed, to make sure they can get replacement devices in good time.

Older children and medication

Older children and teenagers should, whenever possible, assume responsibility for their emergency kit under the guidance of their parents. However, symptoms of anaphylaxis can come on **very suddenly**, so school staff need to be prepared to administer medication if the young person cannot.

Storage

AAIs should be stored at room temperature, protected from direct sunlight and temperature extremes.

Disposal

AAIs are single use only and must be disposed of as sharps. Used AAI's can be given to ambulance paramedics on arrival or can be disposed of in a pre-ordered sharps bin. Sharps bins to be obtained from and disposed of by a clinical waste contractor. The sharps bin is kept in the Disabled Toilet.

6. 'Spare' adrenaline auto-injectors in school

Shotley Bridge Primary School has purchased spare **AAIs for emergency use in children who are at risk of anaphylaxis**, if their own devices are not available or not working (e.g. because they are out of date) or are experiencing anaphylaxis for the first time.

These are stored next to the first aid boxes on both sites. They are clearly labelled 'Emergency Anaphylaxis Kit' kept safely, not locked away and **accessible and known to all staff**.

The Office managers and named First Aider are responsible for checking the spare medication is in date on a monthly basis and to replace as needed.

Written parental permission for use of the spare AAls is included in the pupil's allergy action plan.

7. Staff Training

The named staff members (at least 2) responsible for coordinating staff anaphylaxis training and the upkeep of the school's anaphylaxis policy are:-

Natalie Dryden (SENCO)

Claire Coombe and Judith Parker (Office Managers)

Deborah Lee (Named First Aider)

All staff will complete AllergyWise® allergy and anaphylaxis training² annually, and on an ad-hoc basis during induction of new staff.

Training includes:

- Knowing the common allergens and triggers of allergy
- Spotting the signs and symptoms of an allergic reaction and anaphylaxis. Early recognition of symptoms is key, including knowing when to call for emergency services
- Administering emergency treatment (including AAls) in the event of anaphylaxis – knowing how and when to administer the medication/device
- Measures to reduce the risk of a child having an allergic reaction e.g. allergen avoidance, knowing who is responsible for what
- Managing allergy action plans and ensuring these are up to date

Where possible, Shotley Bridge Primary School will endeavour to enable staff to undertake a practical session using trainer devices (these can be obtained from the manufacturers' websites: www.epipen.co.uk and www.jext.co.uk)

8. Inclusion and safeguarding

Shotley Bridge Primary School is committed to ensuring that all children with medical conditions, including allergies, in terms of both physical and mental health, are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

9. Catering

All food businesses (including school caterers) must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food products.

The school's menu is available for parents to view termly in advance with all ingredients listed and allergens highlighted. This can be obtained from the school office.

The Office managers or named First Aider will inform the Cook of pupils with food allergies.

There will be a list with photographs of children in the school kitchen and in purple files in each classroom and green first aid file for lunchtime staff, identifying children who have known allergies. It is the responsibility of the Office managers or named First Aider to keep these up to date.

Parents/carers are encouraged to meet with the school to discuss their child's needs.

The school adheres to the following Department of Health guidance recommendations:

- Bottles, other drinks and lunch boxes provided by parents for pupils with food allergies should be clearly labelled with the name of the child for whom they are intended.
- Where food is provided by the school, staff should be educated about how to read labels for food allergens and instructed about measures to prevent cross contamination during the handling, preparation and serving of food. Examples include: preparing food for children with food allergies first; careful cleaning (using warm soapy water) of food preparation areas and utensils. For further information, parents/carers are encouraged to liaise with the Catering Manager.
- Food should not be given to primary school age food-allergic children without parental engagement and permission (e.g. birthday parties, food treats).
- Use of food in crafts, cooking classes, science experiments and special events (e.g. fetes, assemblies, cultural events) needs to be considered and may need to be restricted/risk assessed depending on the allergies of particular children and their age.

10. School trips

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.

All the activities on the school trip will be risk assessed to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion.

Overnight school trips should be possible with careful planning and a meeting for parents with the lead member of staff planning the trip should be arranged. Staff at the venue for an overnight school trip should be briefed early on that an allergic child is attending and will need appropriate food (if provided by the venue).

Sporting Excursions

Allergic children should have every opportunity to attend sports trips to other schools. The school will ensure that the P.E. teacher/s are fully aware of the situation. The school being visited will be notified that a member of the team has an allergy when arranging the fixture. A member of staff trained in administering adrenaline will accompany the team. If another school feels that they are not equipped to cater for any food-allergic child, the school will arrange for the child to take alternative/their own food.

Most parents are keen that their children should be included in the full life of the school where possible, and the school will need their co-operation with any special arrangements required.

11. Allergy awareness and nut bans

Shotley Bridge Primary School supports the approach advocated by Anaphylaxis UK towards nut bans/nut free schools. They would not necessarily support a blanket ban on any particular allergen in any establishment, including in schools. This is because nuts are only one of many allergens that could affect pupils, and no school could guarantee a truly allergen free environment for a child living with food allergy. They advocate instead for schools to adopt a culture of allergy awareness and education.

A 'whole school awareness of allergies' is a much better approach, as it ensures teachers, pupils and all other staff are aware of what allergies are, the importance of avoiding the pupils' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure policies and procedures are in place to minimise risk.

12. Risk Assessment/Individual Healthcare Plan

Shotley Bridge Primary School produce individual healthcare plans for all new joining pupils with allergies and any pupils newly diagnosed, to help identify any gaps in our systems and processes for keeping allergic children safe.

13. Useful Links

Anaphylaxis UK - <https://www.anaphylaxis.org.uk/>

- Safer Schools Programme - <https://www.anaphylaxis.org.uk/education/safer-schools-programme/>
- AllergyWise for Schools online training - <https://www.allergywise.org.uk/p/allergywise-for-schools1>

Allergy UK - <https://www.allergyuk.org>

- Whole school allergy and awareness management - <https://www.allergyuk.org/schools/whole-school-allergy-awareness-andmanagement>

BSACI Allergy Action Plans - <https://www.bsaci.org/professional-resources/resources/paediatric-allergy-action-plans/>

Spare Pens in Schools - <http://www.sparepensinschools.uk>

Department for Education Supporting pupils at school with medical conditions - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/803956/supporting-pupils-at-school-with-medical-conditions.pdf

Department of Health Guidance on the use of adrenaline auto-injectors in schools - https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/803956/supporting-pupils-at-school-with-medical-conditions.pdf

[data/file/645476/Adrenaline_auto_injectors_in_schools.pdf](#)

Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016)
<https://www.nice.org.uk/guidance/qs118>

Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020) <https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834>

Footnotes:

- 1** It is strongly recommended that all staff complete allergy and anaphylaxis training to ensure that any member of staff can react quickly and accurately when a child has a reaction. When the training is limited to one or only a few members of staff, children with allergies are left in a potentially life-threatening situation if that member of staff is absent or deployed elsewhere.
- 2** AllergyWise® training is produced by Anaphylaxis UK, the only charity in the UK supporting those with severe allergies. The training is medically reviewed by leading allergy specialists.

Shotley Bridge Primary and Pre-School Allergy Management Risk Assessment for Individual Students

This form should be completed by the setting in liaison with the parents/guardian and the student if appropriate. It should be shared with everyone who has contact with the student. It should be read alongside the student's Health Care Plan that has been produced the Allergy clinic. A whole school approach is recommended in the management of allergy which would involve all staff to have awareness training in addition to key staff having adrenaline autoinjector (AAI) training.

Child/Young person: Click or tap here to enter text.	Date of Birth: Click or tap here to enter text.
Setting/School: Click or tap here to enter text.	Key Worker/Teacher/Tutor: Click or tap here to enter text.
Allergies: Click or tap here to enter text. Are reactions: Ingestion Click or tap here to enter text. Direct contact: Click or tap here to enter text. Indirect contact: Click or tap here to enter text.	
G.P: Name: Click or tap here to enter text. Phone number: Click or tap here to enter text.	Clinic/Hospital: Name: Click or tap here to enter text. Phone number: Click or tap here to enter text.
Date: Click or tap here to enter text.	Review date: Click or tap here to enter text.
Who is responsible for providing support in school: Click or tap here to enter text.	
People involved in writing this plan: Click or tap here to enter text.	
Signatures: Setting Manager/Head teacher: Young person: Date: Click or tap here to enter text. Date: Click or tap here to enter text. I give permission for this risk assessment to be shared with anyone who needs this information to keep my child/young person safe, I give permission for my child's photograph to be displayed sensitively to keep my child safe,	

I give permission for the school's 'spare' AAI to be used on my child in an emergency where anaphylaxis is suspected.

Parents:

Date: Click or tap here to enter text.

Complete this risk assessment in discussion with the parent/guardian, student if appropriate and medical professional if available. Consider all situations that the student may be in and agree control measures. Use the risk analysis tool at the end of the document to assess probability and impact producing further control measures if necessary. This is intended to be dynamic document and should be updated annually or after an incident or near miss.

Can the student recognise a reaction for themselves?

What have been the symptoms of previous reactions?

What are the hazards for each activity?	What are you already doing to control the risks?	Probability	Impact
Medication:			
Storage: Location of child's medication Location of generic 'spare' AAI			
Food and drink:			
Break time snacks including drinks			
Lunch time: Hot meals Sandwiches Drinks			
Events involving food: Cake sales Parties Other PTA events Drinks			
Celebrations: e.g. Birthdays, Easter			
Curriculum activities:			

Cooking			
Creative activities: e.g. junk modelling, pasta			
Music: instrument sharing (cross contamination issue)			
Science activities:			
PE: Indoor Outdoor Forest Schools			
Playtime: Playground Field			
Offsite activities:			
Curriculum visitors Day trips			
Residential visits			
Other:			

This must be completed for any activity that is medium with the aim of bringing the risk to LOW.

Activities that are High or Extreme must not happen unless action can be implemented to bring the risk to LOW.

Hazard	What further action do you need to take to control the risks?	Who needs to carry out the action?	What is the action needed by?	Completed

--	--	--	--	--

Consequence		Minor	Moderate	Major	Critical	Catastrophic
Likelihood	Rare	Low	Low	Low	Low	Low
	Unlikely	Low	Low	Medium	Medium	Medium
	Possible	Low	Medium	Medium	High	High
	Likely	Medium	Medium	High	High	Extreme
	Certain	Medium	Medium	High	Extreme	Extreme

Consequence	Minor	Moderate	Major	Critical	Catastrophic
This is the impact of the action being allowed to happen	No reaction	Non anaphylactic reaction	Emergency response required, ambulance and hospital	Emergency response required, ambulance and hospital	Fatal, Death

Likelihood	Definition
Rare	May only occur in exceptional circumstances
Unlikely	Could occur in some circumstances, surprised if happened
Possible	Possible or likely to occur in most circumstances
Likely	Will occur in most circumstances
certain	It is expected to occur, inevitable

Allergy Register

[illegible]